

N 30, BUILT-IN OVEN, 60 X 60 CM, STAINLESS STEEL B1GCC0AN0B



A



Included accessories

1 x combination grid, 1 x universal pan

Optional accessories

Z11AB15A0 Baking tray, non-stick ceramic coated, Z11AU15A0 Universal pan, non-stick ceramic coated, Z11CB10E0 Baking tray, grey enamelled, Z11CL15E0 Lid for professional pan, enamelled grey, Z11CN15E0 Professional pan, enamelled, Z11CR10X0 Baking and roasting grid (standard), Z11CU10E0 Multipurpose pan, grey enamelled, Z11GT10X3 Glass roasting dish, 5,4l, Z11GU20X0 Glasspan, Z11TE25X0 2 level telescopic shelf rails, Z11TF25X0 2 level telescopic shelf rails, full ext, Z11TF36X0 3 level telescopic rails, full ext, Z11TI15X0 Cliprails, Z11TJ25X0 2 level telescopic rails incl 1VarioClip, Z11TJ35X0 3 level telescopic rails incl 1VarioClip, Z12CL10A0 Lid for professional pan, enamelled, Z12CN10A0 Professional pan, enamelled, Z12CQ10A0 Grill tray, anthracite enamelled, Z1352X0 Pizza pan, grey enamelled, Z13CR10X0 Baking and roasting grid (steam), Z13CV05S0 Cover Strip, Z1913X0 Baking Stone

✓ CircoTherm® – Smart hot-air solution that lets you bake on up to three levels at once.

✓ LED-Display - simple, straightforward for clear reading

Features

Technical Data

Construction type: Built-in
Integrated Cleaning system: No
Min. required niche size for installation (HxWxD): 585-595 x 560-568 x 550 mm
Dimensions: 595 x 594 x 548 mm
Dimensions of the packed product (HxWxD): .. 675 x 690 x 660 mm
Control Panel Material: Stainless steel
Door Material: Glass
Net weight: 31.6 kg
Usable volume of cavity: 71 l
Cooking method: Full width grill, Hotair gentle, Hot Air, Conventional heat, Hot air grilling
First cavity material: Other
Oven control: mechanical
Number of interior lights: 1
Length of electrical supply cord: 120.0 cm
EAN code: 4242004234036
Number of cavities (2010/30/EC): 1
Energy efficiency rating: A
Energy consumption per cycle conventional (2010/30/EC): 0.97 kWh/cycle
Energy consumption per cycle forced air convection (2010/30/EC): 0.81 kWh/cycle
Energy efficiency index (2010/30/EC): 95.3 %
Connection rating: 2990 W
Fuse protection: 13 A
Voltage: 220-240 V
Frequency: 50; 60 Hz
Plug type: no plug (electrical connection by electrician)
Included accessories: 1 x combination grid, 1 x universal pan



*N 30, BUILT-IN OVEN, 60 X 60 CM, STAINLESS
STEEL
B1GCC0AN0B*

Features

Design

- LED Display (Red)
- Cavity inner surface: enamel grey

Features

- Control panel lock
- Interior halogen light

Cleaning

Programmes/functions

- Cooling fan

Accessories



- 1 x combination grid, 1 x universal pan

Performance/technical information


- Energy efficiency rating (acc. EU Nr. 65/2014): A
- Energy consumption per cycle in conventional mode: 0.97 kWh
- Energy consumption per cycle in fan-forced convection mode: 0.81 kWh
- Number of cavities: Main cavity Heat source: electrical Cavity volume: 71 litre
- Total connected load electric: 2.99 KW
- 120 cm Cable length
- Nominal voltage: 220 - 240 V
- Appliance dimension (h x w x d): 595 mm x 594 mm x 548 mm
- Niche dimension (h x w x d): 585 mm - 595 mm x 560 mm - 568 mm x 550 mm
- Please refer to the dimensions provided in the installation manual

N 30, BUILT-IN OVEN, 60 X 60 CM, STAINLESS
STEEL
B1GCC0AN0B

Dimensioned drawings




Measurements in mm



A: 19.5 mm

B: Space for appliance connection 320 x 115 mm

Installation with a hob.



Min. distance:
Induction hob: 5 mm
Gas hob: 5 mm
Electric hob: 2 mm