

# ECBN 6156 PremiumPlus BioFresh NoFrost

Integrable fridge-freezer with BioFresh and NoFrost

0° compartment	<b>BioFresh</b>
Cooling technology	<b>NoFrost</b>
Aperture height	<b>203 cm</b>
Net capacity, total	<b>480 l</b>
Type of installation	<b>Can be integrated</b>
door assembly	<b>Fixed door</b>
Connectable (SmartDevice-capable)	—



## General product information

Product group output channels	Combined refrigerator-freezer with BioFresh and NoFrost for integrated use
GTIN	9005382238578

## Output and consumption

Energy consumption in 24h	1.358 kWh / 24h
Energy consumption per year	496 kWh/a
Net capacity, total	480 l
Refrigerator compartment	364 l
of which BioFresh	69 l
Freezer compartment	116 l
Refrigerator compartment	329 l
Gross capacity, total	585 l
Refrigerator compartment	402 l
of which BioFresh	73 l
Freezer compartment	183 l
Voltage	220-240 V ~
Frequency	50 Hz
Connection rating	1.5 A 194 W

## Dimensions and weight

Aperture height	203 cm
Height/width/depth (with packaging)	2,125.0 / 966.0 / 750.0 mm

Aperture dimensions height/width/depth	203.2 - 207.2 / 91.5 / 61.0 cm
Weight (without packaging)	164.00 kg
Weight (with packaging)	176.00 kg

## Control and functions

Temperature range refrigerator compartment	+3 °C to +9 °C
Control	Digital temperature display in the MagicEye
Control unit	Touch
Individual temperature zones	2
Temperature zones	3
Temperature display	Fridge & freezing compartment
Malfunction: Warning signal	optical and acoustical
FrostControl	✓
Door open: Warning signal, refrigerator compartment	audible
Door open: Warning signal, freezer compartment	audible
Child proofing	✓
SuperCool	✓
SuperFrost	Automatic
Connectable (SmartDevice-capable)	—

## Refrigerator compartment

Defrosting method	automatic
Forced air cooling	✓
Lighting	LED light column and LED ceiling lighting
Number of storage shelves, refrigerator compartment	4
of which height-adjustable	3
No. of dividable glass shelves cooling compartment	0
of which are adapted for versatile use as a bottle shelf	1
Storage shelf material, refrigerator compartment	Glass
Bottle shelf	—
Design of inner door rack	Premium GlassLine
Bottle rack	0
Number of can racks	4
Egg trays	✓
0° compartment *	BioFresh
Number of BioFresh safes	2
extendible on telescopic rails	✓
DrySafe	0
of which HydroSafe	2
with SoftTelescopic	—
with lighting	LED light

## Freezer compartment

Ice cube stock	2.7 kg
NoFrost	✓
Star-coding	4

Cooling technology	NoFrost
Defrosting method	automatic
Drawers in freezer compartment	2
of which on telescopic rails	2
of which on pull-out roller system	0
Material adjustable shelves freezer compartment	—
Lighting	LED light
IceMaker	✓

## Set-up and installation

door assembly	Fixed door
Door hinges	Right
Door opening angle	115°
Vario plinth	✓
Height-adjustable feet	4
Ventilation	Base ventilation
decor frame	Retrofittable

\* BioFresh: complies Chill compartment after DIN EN ISO 15502

Please note: despite careful data management, we reserve the right to make technical changes; and discrepancies may occur between the image or text content and the original appliance.

**LIEBHERR**