


## Series 6, Built-in double oven MBA5785S6B



### Included accessories

1 x combination grid  
1 x universal pan

### Optional accessories

HEZ531000 : Baking tray, grey enamelled  
HEZ531010 : Baking tray, non-stick ceramic coated  
HEZ538000 : 1fold telescopic rail, level independent  
HEZ634000 : Baking and roasting grid (standard)  
HEZ915003 : Glass roasting dish, 5,4 L  
HZ638000 : Full ext rails, level independent

- **Meatprobe:** measures the optimal core temperature of the roast.
- **AutoPilot 30:** Perfectly cooks dishes thanks to 30 pre-set automatic programmes.
- **Pop-out controls:** Make the front of the oven easy to clean and give it a sleek look.
- **Cooking tips:** Access food trends and cooking advice via the Home Connect app.
- Home Connect takes the guesswork out of cooking new recipes

### Technical Data

Color / Material Front : Stainless steel  
Construction type : Built-in  
Dimensions : 888 x 594 x 550 mm  
Dimensions of the packed product (HxWxD) : 960 x 690 x 660 mm  
Control Panel Material : Stainless steel  
Door Material : Glass  
Net weight : 60.0 kg  
Usable volume of cavity : 71 l  
Cooking method : Conventional heat, Defrost, Full width grill, Hot Air, Hotair gentle, Hot air grilling, low temperature cooking, Pizza setting, warming  
Oven control : electronic  
Number of interior lights : 1  
EAN code : 4242005185238  
Energy efficiency rating : A  
Energy consumption per cycle conventional (2010/30/EC) : 1.02 kWh/cycle  
Energy consumption per cycle forced air convection (2010/30/EC) : 0.81 kWh/cycle  
Energy efficiency class (2010/30/EC) - cavity 2 : B  
Energy consumption per cycle conventional - cavity 2 (2010/30/EC) : 0.83 kWh/cycle  
Energy efficiency index (2010/30/EC) : 95.3 %  
Energy efficiency index cavity 2 (2010/30/EC) : 120.3 %  
Connection rating : 6300 W  
Fuse protection : 32 A  
Frequency : 50 Hz  
Plug type : fixed connection, no plug (electrical connection by electrician)  
Included accessories : 1 x combination grid, 1 x universal pan



## Series 6, Built-in double oven MBA5785S6B

### Design

- LCD-display control (white)
- Interior halogen light, Light on/off when oven door opened/closed
- Rotary dial, Retractable control dials, round
- Straight bar handle

### Features

- Home Connect ready
- Electronic door lock  
Control panel lock Automatic safety switch off Residual heat indicator Door contact switch
- Digital temperature display with proposal  
Automatic start Heating-up indicator AutoPilot Temperature probe
- Electronic clock timer

### Top oven additional features

- Cavity volume: 34 litre capacity
- Pyrolytic Cleaning in top oven
- Full glass inner door
- Cavity (inner surface) top: Enamel grey
- Door hinge small cavity: Drop down oven door

### Main oven additional features

- Cavity volume: 71 litre capacity
- Pyrolytic self-cleaning function
- Full glass inner door
- AutoPilot, 30
- Single-point meat probe
- 5 shelf positions
- Door hinge big cavity: Drop down door

### Top oven

- Oven with 4 heating methods: conventional top/bottom heat, Large-area grill, Small area grill, bottom heat
- Temperature range 30 °C - 275 °C

### Main oven

- Oven with 9 heating methods: 3D Hotair, conventional top and bottom heat, Hotair grilling, full width variable grill, pizza function, low temperature cooking, defrost, keep warm, Hotair gentle
- Temperature range 30 °C - 275 °C
- Fast pre-heating function

### Accessories

- 1 x combination grid, 1 x universal pan
- 1 set of level independent telescopic rails, Stop function

### Performance/technical information

- Energy efficiency rating (acc. EU Nr. 65/2014): B(at a range of energy efficiency classes from A+++ to D)  
Energy consumption per cycle in conventional mode:0.83 kWh  
Number of cavities: Top Cavity Heat source: electrical
- Energy efficiency rating (acc. EU Nr. 65/2014): B(at a range of energy efficiency classes from A+++ to D)  
Energy consumption per cycle in conventional mode:0.83 kWh  
Energy consumption per cycle in fan-forced convection mode:0.81 kWh  
Number of cavities: Main Cavity Heat source: electrical
- Total connected load electric: 6.3 KW
- Nominal voltage: 220 - 240 V
- Appliance dimension (hxwxh): 888 mm x 594 mm x 550 mm
- Niche dimension (hxwxh): 875 mm - 888 mm x 560 mm - 568 mm x 550 mm
- Please refer to the dimensions provided in the installation manual

**Series 6, Built-in double oven**  
**MBA5785S6B**

