


**Series 2, Electric hob, 60 cm, Black,  
PKE611CA3E**



**Optional accessories**

HEZ9SE030 : Set of 2 pots and 1 pan

**The glass-ceramic radiant hob: makes  
cooking and cleaning especially easy.**

- Side control dials for easy power level selection.

**Technical Data**

Product name/family : Cooking zone ceramic  
Construction type : Built-in  
Energy input : Electric  
Total number of positions that can be used at the same time : 4  
Min. required niche size for installation (HxWxD) : 46 x 560-560  
x 490-500 mm  
Width of the appliance : 592 mm  
Dimensions : 46 x 592 x 522 mm  
Dimensions of the packed product (HxWxD) : 100 x 750 x 590  
mm  
Net weight : 7.4 kg  
Gross weight : 8.2 kg  
Residual heat indicator : Separate  
Location of control panel : Hob lateral  
Basic surface material : Ceramic  
Color of surface : Black  
EAN code : 4242005283194  
Voltage : 220-240 V  
Frequency : 50; 60 Hz



4 242005 283194

## **Series 2, Electric hob, 60 cm, Black, PKE611CA3E**

**The glass-ceramic radiant hob: makes  
cooking and cleaning especially easy.**

---

### **Flexibility of cooking zones**

- Cooking zone front left: 145 mm, 1.2 KW
- Cooking zone rear left: 210 mm, 2.2 KW
- Cooking zone rear right: 145 mm , 1.2 KW
- Cooking zone front right: 180 mm, 2 KW

### **Usage convenience**

- Sword knob: control the power with mounted dials.
- Variable 9-stage power settings for each zone: precisely adapt the heat with 9 power levels.

### **Design**

- 60 cm: space for 4 pots or pans.
- Frameless design

### **Safety**


- Residual heat indicator for each zone: indicates which cooking zones are still hot.

### **Installation**

- Dimensions of the product (HxWxD mm): 46 x 592 x 522
- Required niche size for installation (HxWxD mm) : 46 x 560 x (490 - 500)
- Min. worktop thickness: 16 mm
- Connected load: 6.6 KW

## Series 2, Electric hob, 60 cm, Black, PKE611CA3E

measurements in mm



- A:** Minimum distance from the hob cut-out to the wall.
- B:** Recessed depth
- C:** With fitted oven underneath min. 20, possibly more; see space requirements for the oven.