

N 50, BUILT-IN DOUBLE OVEN U2ACM7H40B



A



Optional accessories

Z11AB15A0 Baking tray, non-stick ceramic coated, Z11AU15A0 Universal pan, non-stick ceramic coated, Z11CB10E0 Baking tray, grey enamelled, Z11CR10X0 Baking and roasting grid (standard), Z11CU10E0 Multipurpose pan, grey enamelled, Z11GT10X3 Glass roasting dish, 5,4l, Z11TE25X0 2 level telescopic shelf rails, Z11TF25X0 2 level telescopic shelf rails, full ext, Z11TF36X0 3 level telescopic rails, full ext, Z11TI15X0 Cliprails, Z11TJ25X0 2 level telescopic rails incl 1VarioClip, Z11TJ35X0 3 level telescopic rails incl 1VarioClip, Z1352X0 Pizza pan, grey enamelled, Z13CR10X0 Baking and roasting grid (steam), Z1913X0 Baking Stone, Z19DD10X0 Steam set for ovens

Double built-in oven - perfect for grilling, baking and roasting of multiple dishes at the same time.

- ✓ Dual cleaning options: Pyrolytic cleaning programmes - just let the oven interior clean itself. EasyClean - the quick and easy option for day to day maintenance.
- ✓ Home Connect - Unleash your creativity via app.
- ✓ SinglePoint MeatProbe - ensures meats are cooked perfectly every time
- ✓ Cliprails - Place dishes exactly where you want them in your oven.

Features

Technical Data

Construction type: Built-in
Dimensions: 888 x 594 x 550 mm
Dimensions of the packed product (HxWxD): . 960 x 690 x 670 mm
Control Panel Material: Glass
Door Material: Glass
Net weight: 60.7 kg
Usable volume of cavity: 71 l
Cooking method: Bottom heat, Bread Baking Setting, Circo-roasting, CircoTherm® intensive, Full width grill, Hot Air, Hotair gentle, Top/bottom heat
Oven control: electronic
Number of interior lights: 1
EAN code: 4242004245858
Energy efficiency rating: A
Energy consumption per cycle conventional (2010/30/EC): 1.02 kWh/cycle
Energy consumption per cycle forced air convection (2010/30/EC): 0.81 kWh/cycle
Energy efficiency class (2010/30/EC) - cavity 2: B
Energy consumption per cycle conventional - cavity 2 (2010/30/EC): 0.83 kWh/cycle
Energy efficiency index (2010/30/EC): 95.3 %
Energy efficiency index cavity 2 (2010/30/EC): 120.3 %
Connection rating: 6300 W
Fuse protection: 32 A
Voltage: 220-240 V
Plug type: fixed connection, no plug (electrical connection by electrician)
Included accessories: 3 x combination grid, 1 x universal pan



4 242004 245858

N 50, BUILT-IN DOUBLE OVEN U2ACM7HHOB

Features

Design

- Elongated designed dials, Retractable control dials, Bevelled oval controls
- Cavity (inner surface) top: Enamel grey
- Cavity (inner surface) bottom: enamel grey
- LCD-display control (white)
- Electronic clock timer
- Temperature proposal
- Automatic start Actual temperature display Heating up indicator Temperature probe
- Interior halogen light, On/off button
- Bar handle
- Full glass inner doors

Features

- HomeConnect ready on WLAN
- Door lock during pyrolytic cleaning
- Control panel lock Automatic safety switch off Residual heat indicator Door contact switch

Top oven additional features

- Oven with 4 heating methods: Top/bottom heat, Full surface grill, Small area grill, Bottom heat
- Cavity volume: 34 Litre
- Door hinge small cavity: bottom

Main oven additional features

- Oven with 8 heating methods: CircoTherm®, Top/bottom heat, Circo-roasting, Full surface grill, CircoTherm® intensive, Bread baking, Bottom heat, CircoTherm® gentle
- Door hinge big cavity: Drop down door
- Single-point meat probe
- Rapid heat
- Cavity volume: 71 litre
- 4 shelf positions

Cleaning

Top oven

- Pyrolytic cleaning in upper oven

Main oven

- Pyrolytic cleaning
- EasyClean
- Full glass inner door

Accessories

- 1 Clip rail, Stop function

Performance/technical information

- Energy efficiency rating (acc. EU Nr. 65/2014): B(at a range of energy efficiency classes from A+++ to D)
- Energy consumption per cycle in conventional mode:0.83 kwh
- Number of cavities: Top Cavity Heat source: electrical
- Energy efficiency rating (acc. EU Nr. 65/2014): B(at a range of energy efficiency classes from A+++ to D)

- Energy consumption per cycle in conventional mode:0.83 kWh
- Energy consumption per cycle in fan-forced convection mode:0.81 kwh
- Number of cavities: Main Cavity Heat source: electrical
- Nominal voltage: 220 - 240 V
- Total connected load electric: 6.3 KW
- Appliance dimension (hxwxh): 888 mm x 594 mm x 550 mm
- Niche dimension (hxwxh): 875 mm - 888 mm x 560 mm - 568 mm x 550 mm
- Please refer to the dimensions provided in the installation manual

Top oven

Level independent telescopic rails

Top oven

- Oven with 8 heating methods: CircoTherm®, Top/bottom heat, Circo-roasting, Full surface grill, CircoTherm® intensive, Bread baking, Bottom heat, CircoTherm® gentle

Programmes/functions

Top Oven

- Cooling fan
- 3 x combination grid, 1 x universal pan
- 30 °C

Main Oven

- 30 °C - Very low door temperature

Technical information

N 50, BUILT-IN DOUBLE OVEN
U2ACM7HHOB

Dimensioned drawings

measurements in mm

