

iQ500, Heat pump tumble dryer, 9 kg
WQ45G209GB



A++

Outstanding laundry performance with A++, selfCleaning condenser and autoDry for gentle and even drying of your garments.

- ✓ selfCleaning condenser: removes fluff to save you time and effort.
- ✓ autoDry – gentle and precise drying that protects your clothes.
- ✓ Half load: optimises the cycle for smaller loads.
- ✓ Energy Efficiency Class A++ – dries very efficiently
- ✓ speedPack – Save time with our fast and highly efficient dryers.

Features

Technical Data

Built-in / Free-standing: Freestanding
Removable top: No
Door opening: Right
Length electrical supply cord: 179.5 cm
Dimensions: 842 x 598 x 613 mm
Weight: 56.4 kg
Fluorinated greenhouse gases: No
Type of refrigerant: R290
Hermetically sealed equipment: Yes
The quantity expressed in CO2 equivalent: 0.000 t
EAN code: 4242003913017
Connection Rating: 800 W
Fuse protection: 10 A
Nominal power: 220-240 V
Frequency: 50 Hz
Capacity: 9.0 kg
Energy efficiency rating: A++
Energy consumption electric dryer, full load - NEW (2010/30/EC):
2.05 kWh
Standard cotton programme time at full load: 176 min
Energy consumption electric dryer, partial load - NEW (2010/30/EC):
..... 1.25 kWh
Standard cotton programme time at partial load: 121 min
Weighted annual energy consumption, electric dryer - NEW
(2010/30/EC): 258.0 kWh/annum
Weighted programme time: 145 min
Average condensation efficiency full load (%): 86 %
Average condensation efficiency partial load (%): 86 %
Weighted condensation efficiency (%): 86 %

Optional accessories


WZ20600	Wool in basket - accessory
WZ27400	Stacking kit with pull-out shelf
WZ27410	Stacking kit
WZDP20D	Platform with pull-out, dryer, cubic



iQ500, Heat pump tumble dryer, 9 kg
WQ45G209GB

Features	
<p>Performance</p> <ul style="list-style-type: none">• Energy Efficiency Class¹: A++• Energy²: 258 kWh• Capacity: 1 - 9 kg• Programme time³: 176 min• Noise level: 64 dB (A) re 1 pW• Condensation efficiency class⁴: B• Condensation efficiency⁵: 86 % <p>Programmes/functions</p> <ul style="list-style-type: none">• Touch control buttons: Iron dry, Cupboard dry, Cupboard dry+, end time delay, less ironing, low heat, buzzer, Start / Reload / Pause, 24 h end time delay• Standard programmes: cotton, easy care• Special programmes: cotton, shirts, Cotton Eco, lingerie, towels, pillows, mixed fabrics, outdoor, rapid 40, blankets, easy-care, Woollens Finish, timed programme warm <p>Key features</p> <ul style="list-style-type: none">• Anti crease cycle 120 min at the end of the programme• Fully electronic control dial for sensor and timed programmes• Half Load option: optimises drying for smaller loads• Sensitive drying: large softDry stainless steel drum system and revolution drying system• AntiVibration design: for greater stability and quietness <p>Additional features</p> <ul style="list-style-type: none">• Large LED display for remaining time and 24 hours time delay, programme progress indication and special functions• NewValue door with cover glass, Liquid-chrome matt, black• Load recommendation• soft dial• Heat pump technology with climate friendly cooling agent• Drum interior light• Container for condensed water• Door hinge: right-hand• Metal door catch• Child lock• End of cycle buzzer <p>Technical Information</p> <ul style="list-style-type: none">• Slide-under installation• Dimensions (H x W): 84.2 cm x 59.8 cm• Appliance depth: 61.3 cm• Appliance depth incl. door: 64.8 cm• Appliance depth with open door: 109.6 cm <p>¹ At a range of energy efficiency classes from A+++ to D</p> <p>² Energy consumption kWh per year, based on 160 drying cycles of the standard cotton programme at full and partial load, and the consumption of the low power modes</p> <p>³ Programme time of the standard cotton programme at full load</p>	<p>⁴ On a condensation efficiency class scale from A to G</p> <p>⁵ Weighted condensation efficiency for the standard cotton programme at full and partial load</p>

iQ500, Heat pump tumble dryer, 9
kg
WQ45G209GB

Dimensioned drawings	
<p>Measurements in mm</p> 	<p>Measurements in mm</p> 